ELSEVIER

Physica C 267 (1996) 361–363

PHYSICA C

Author Index to Volume 267

Abraham, R., see Gladyshevskii, R.E., **267**, 93
Afonso, S., see Chen, K.Y., **267**, 355
Al-Mosawi, M.K., C. Beduz, Y. Yang and R.G. Scurlock, The fabrication, microstructure and transport current study of BPSCCO 2223 multi-connected tapes, **267**, 45
Allemand, J., see Gladyshevskii, R.E., **267**, 93
Amm, K.M., see Wolters, Ch., **267**, 164
Ausloos, M., see Dorbolo, S., **267**, 24

Baikov, Yu., see Lütgemeier, H., **267**, 191
Bandyopadhyay, S.K., P. Sen, P. Barat, U. De, K. Mandal, S.K. Kar and C.K. Majumdar, Alpha irradiation of Bi-2212 superconductor, **267**, 303
Baran, M., V. Dyakonov, I. Fita, L. Gladczuk, A. Wiśniewski and H. Szymczak, Pressure-induced oxygen-ordering processes in $GdBa_{1.5}Sr_{0.5}Cu_3O_{6+x}$, **267**, 313
Barat, P., see Bandyopadhyay, S.K., **267**, 303
Barbour, J.C., see Newcomer, P.P., **267**, 243
Barlow, S.B., see Fischer, G.A., **267**, 293
Bazhenov, A.V., see Strukova, G.K., **267**, 67
Beduz, C., see Al-Mosawi, M.K., **267**, 45
Berner, D., see Widder, K., **267**, 254
Bhagat, S.M., see Lofland, S.E., **267**, 79
Brinkmann, D., see Lombardi, A., **267**, 261
Broto, J.M., see Harneit, W., **267**, 270
Buder, R., see Harneit, W., **267**, 270

Cattaneo, L., M. Celasco, A. Masoero, P. Mazzetti, I. Puica and A. Stepanescu, Current noise in HTC polycrystalline superconductors. A comparison between experiments and different types of percolation models, **267**, 127
Celasco, M., see Cattaneo, L., **267**, 127
Chaddah, P., see Chandran, M., **267**, 59
Chan, F.T., see Chen, K.Y., **267**, 355
Chandran, M. and P. Chaddah, Critical state in a Josephson junction array: effect of transport currents, **267**, 59
Chen, J.L., see Wei, J.C., **267**, 345
Chen, K.Y., G.J. Salamo, S. Afonso, X.L. Xu, Y.Q. Tang, Q. Xiong, F.T. Chan and L.W. Schaper, Fabrication of biaxially aligned $YBa_2Cu_3O_{7-x}$ thin films on glass substrates, **267**, 355
Chung, H., see Yoo, J., **267**, 53
Cohen-Adad, M.Th., see Gladyshevskii, R.E., **267**, 93
Couach, M., see Gladyshevskii, R.E., **267**, 93

De, U., see Bandyopadhyay, S.K., **267**, 303
Delamare, M.P., see Monot, I., **267**, 173
Desgardin, G., see Monot, I., **267**, 173
Dilanian, R.A., see Strukova, G.K., **267**, 67
Dorbolo, S., M. Houssa and M. Ausloos, Influence of a Van Hove singularity on the electronic specific heat of high-T_c superconductors, **267**, 24
Duan, H.M., see Yu, F., **267**, 308
Dyakonov, V., see Baran, M., **267**, 313

Ebisawa, H., see Nishio, T., **267**, 119
Escribe-Filippini, C., see Harneit, W., **267**, 270
Ewing, R.C., see Newcomer, P.P., **267**, 243

Fischer, G.A., H. Trammell, S.B. Barlow, R.F. Jardim and M.S. Torikachvili, Electrical resistivity in $Bi_2Sr_2CaCu_2O_{8\pm\delta}$ compounds synthesized via melt-casting, **267**, 293
Fita, I., see Baran, M., **267**, 313
Flükiger, R., see Gladyshevskii, R.E., **267**, 93
Flükiger, R., see Jeremie, A., **267**, 10
Fonseca, F.C. and R. Muccillo, Properties of $YBa_2Cu_3O_{7-\delta}$–Ag superconductors prepared by the citrate method, **267**, 87

Galez, Ph., see Gladyshevskii, R.E., **267**, 93
Gamari-Seale, H., see Psycharis, V., **267**, 211
Geserich, H.P., see Widder, K., **267**, 254
Gladczuk, L., see Baran, M., **267**, 313
Gladyshevskii, R.E., Ph. Galez, K. Lebbou, J. Allemand, R. Abraham, M. Couach, R. Flükiger, J.-L. Jorda and M.Th. Cohen-Adad, Structural characterization and superconducting properties of $(Tl_{0.5}Pb_{0.5})(Sr_{2-x}Ba_x)Ca_2Cu_3O_{9-\delta}$, **267**, 93
Gorbenko, O.Yu., see Samoylenkov, S.V., **267**, 74
Gubbens, P.C.M., see Moolenaar, A.A., **267**, 279

Harneit, W., T. Klein, C. Escribe-Filippini, H. Rakoto, J.M. Broto, A. Sulpice, R. Buder, J. Marcus and W. Schmidbauer, Short time study of the fishtail effect in $Ba_{0.6}K_{0.4}BiO_3$ single crystals, **267**, 270
Hasegawa, M., Y. Matsushita and H. Takei, Local structural changes in $Tl_2Ba_2Ca_2Cu_3O_{10}$ single crystal between 90 K and 290 K, **267**, 31
Heinecke, M., see Krug, K., **267**, 321
Heinmaa, I., see Lütgemeier, H., **267**, 191

Hejtmánek, J., see Jirák, Z., **267**, 225
Hermann, A.M., see Yu, F., **267**, 308
Hervieu, M., see Malo, S., **267**, 1
Horng, L., see Wei, J.C., **267**, 345
Houssa, M., see Dorbolo, S., **267**, 24
Hubbard, M.A., see Yu, F., **267**, 308

Iqbal, Z., see Owens, F.J., **267**, 147

Jardim, R.F., see Fischer, G.A., **267**, 293
Jardim, R.F., see Suzuki, P.A., **267**, 153
Jeremie, A. and R. Flükiger, Similarities in Bi,Pb(2223) formation starting from different precursors, **267**, 10
Jirák, Z., J. Hejtmánek, K. Knížek and R. Sonntag, Carbonate groups and the superconductivity in 123 cuprates $Y_{0.8}Ca_{0.2}Ba_2Cu_{3-x}C_xO_y$, **267**, 225
Jorda, J.-L., see Gladyshevskii, R.E., **267**, 93

Kaldis, E., see Schwer, H., **267**, 113
Kalitsounakis, N., see Psycharis, V., **267**, 211
Kanjilal, D., see Lofland, S.E., **267**, 79
Kar, S.K., see Bandyopadhyay, S.K., **267**, 303
Karpinski, J., see Schwer, H., **267**, 113
Kaul, A.R., see Samoylenkov, S.V., **267**, 74
Kawashima, T. and E. Takayama-Muromachi, Superconductivity in the series of compounds $Sr_2Ca_{n-1}Cu_nO_y$ ($n = 1 \sim 4$) prepared under high pressure, **267**, 106
Kim, H., see Yoo, J., **267**, 53
Kirven, D., see Owens, F.J., **267**, 147
Kläser, M., see Widder, K., **267**, 254
Klein, T., see Harneit, W., **267**, 270
Knížek, K., see Jirák, Z., **267**, 225
Ko, J., see Yoo, J., **267**, 53
Kolesnikov, N.N., see Yu, F., **267**, 308
Kolyubakin, A.I., see Strukova, G.K., **267**, 67
Kopylov, V.N., see Yu, F., **267**, 308
Koufoudakis, A., see Psycharis, V., **267**, 211
Krug, K., M. Heinecke and K. Winzer, Upper-critical-field anisotropy and magnetic phase diagram of $HoNi_2B_2C$, **267**, 321
Kwak, J.F., see Newcomer, P.P., **267**, 243

Lebbou, K., see Gladyshevskii, R.E., **267**, 93
Li, Y.H. and J.L. MacManus-Driscoll, Identification of the high pressure phase in Bi-Sr-Ca-Cu-O superconductors by HRTEM and XRD, **267**, 337
Liarokapis, E., see Psycharis, V., **267**, 211
Lofland, S.E., S.D. Tyagi, S.M. Bhagat, M. Rajeswari, T. Venkatesan, D. Kanjilal and G.K. Mehta, Microwave magnetoabsorption in *c*-axis-oriented $YBa_2Cu_3O_7$ films with columnar defects, **267**, 79
Lombardi, A., M. Mali, J. Roos and D. Brinkmann, Hyperfine fields at the Ba site in $YBa_2Cu_4O_8$: An NMR and NQR study, **267**, 261
Lütgemeier, H., S. Schmenn, P. Meuffels, O. Storz, R. Schöllhorn, Ch. Niedermayer, I. Heinmaa and Yu. Baikov, A different type of oxygen order in RE $Ba_2Cu_3O_{(6+x)}$ HT_c superconductors with different RE ionic radii, **267**, 191

MacManus-Driscoll, J.L., see Li, Y.H., **267**, 337
Maignan, A., see Malo, S., **267**, 1
Majumdar, C.K., see Bandyopadhyay, S.K., **267**, 303
Mali, M., see Lombardi, A., **267**, 261
Mali, M., see Schwer, H., **267**, 113
Malo, S., D. Pelloquin, A. Maignan, C. Michel, M. Hervieu and B. Raveau, Superconducting oxycarbonates $Hg_{1-x}V_xSr_{4-y}Ba_yCu_2O_{7-\delta}CO_3$: three closely related structural families, **267**, 1
Mandal, K., see Bandyopadhyay, S.K., **267**, 303
Marcus, J., see Harneit, W., **267**, 270
Masoero, A., see Cattaneo, L., **267**, 127
Matsushita, Y., see Hasegawa, M., **267**, 31
Mazzetti, P., see Cattaneo, L., **267**, 127
Mehta, G.K., see Lofland, S.E., **267**, 79
Meijer, G.I., see Schwer, H., **267**, 113
Menken, M.J.V., see Moolenaar, A.A., **267**, 279
Menovsky, A.A., see Moolenaar, A.A., **267**, 279
Meuffels, P., see Lütgemeier, H., **267**, 191
Michel, C., see Malo, S., **267**, 1
Miller, M.L., see Newcomer, P.P., **267**, 243
Minamikawa, T., M. Tazoe, K. Segawa, Y. Yonezawa, A. Morimoto and T. Shimizu, Preparation of *a*-axis-oriented $YBa_2Cu_3O_x$ superconducting films on MgO substrates with $PrBa_2Cu_3O_x$ buffer layers, **267**, 330
Mitros, C., see Psycharis, V., **267**, 211
Monot, I., J. Wang, M.P. Delamare, J. Provost and G. Desgardin, Influence of different melt processings upon the microstructure and critical current of textured Y123, **267**, 173
Moolenaar, A.A., P.C.M. Gubbens, J.J. van Loef, M.J.V. Menken and A.A. Menovsky, $PrBa_2Cu_3O_7$ investigated by ^{141}Pr Mössbauer spectroscopy, **267**, 279
Morimoto, A., see Minamikawa, T., **267**, 330
Morosin, B., see Newcomer, P.P., **267**, 243
Muccillo, R., see Fonseca, F.C., **267**, 87
Müller-Vogt, G., see Widder, K., **267**, 254
Münzel, J., see Widder, K., **267**, 254

Narikiyo, O., Itinerant-localized duality description of the normal state of high-T_c cuprates. Incoherent spectra near the Mott transition, **267**, 204
Newcomer, P.P., J.C. Barbour, L.M. Wang, E.L. Venturini, J.F. Kwak, R.C. Ewing, M.L. Miller and B. Morosin, Temperature dependent microstructural modification in ion-irradiated Tl-type high temperature superconductors, **267**, 243
Niarchos, D., see Psycharis, V., **267**, 211
Niedermayer, Ch., see Lütgemeier, H., **267**, 191
Nishio, T. and H. Ebisawa, On the dynamics of the superconducting order parameter under a magnetic field in the quantization regime of a two-dimensional system, **267**, 119

Owens, F.J., Z. Iqbal and D. Kirven, Anomalous microwave absorption in quasi-one-dimensional (Sr,Ca). $_{14}Cu_{24}O_{41}$, **267**, 147

Palles, D., see Psycharis, V., **267**, 211
Pelloquin, D., see Malo, S., **267**, 1

Poulakis, N., see Psycharis, V., **267**, 211
Provost, J., see Monot, I., **267**, 173
Psycharis, V., C. Mitros, A. Koufoudakis, H. Gamari-Seale, D. Niarchos, N. Kalitsounakis, N. Poulakis, D. Palles and E. Liarokapis, Structural study, resistivity, magnetization and Raman measurements for the HT_c superconducting compounds $SmBa_{2-x}Sr_xCu_3O_{6+y}$ ($x = 0.0$, 0.25, 0.5, 0.75, 1.0 and 1.25), **267**, 211
Puica, I., see Cattaneo, L., **267**, 127

Rajeswari, M., see Lofland, S.E., **267**, 79
Rakhmanov, A.L. and A.V. Rozhkov, Electric field effect on the critical current of SNS contact, **267**, 233
Rakoto, H., see Harneit, W., **267**, 270
Raveau, B., see Malo, S., **267**, 1
Roos, J., see Lombardi, A., **267**, 261
Rossel, C., see Schwer, H., **267**, 113
Rozhkov, A.V., see Rakhmanov, A.L., **267**, 233

Salamo, G.J., see Chen, K.Y., **267**, 355
Salamon, M.B., see Yu, F., **267**, 308
Samoylenkov, S.V., O.Yu. Gorbenko and A.R. Kaul, Superconducting properties of oxygen deficient $LuBa_2Cu_3O_{7-x}$ thin films, **267**, 74
Sasakura, H. and K. Yoshida, Superconductivity in the Th-contained cuprate $(Bi_{2-y}Pb_y)Sr_2(Eu_{2-x}Th_x)Cu_2O_z$, **267**, 19
Schaper, L.W., see Chen, K.Y., **267**, 355
Schmenn, S., see Lütgemeier, H., **267**, 191
Schmidbauer, W., see Harneit, W., **267**, 270
Schöllhorn, R., see Lütgemeier, H., **267**, 191
Schwartz, J., see Wolters, Ch., **267**, 164
Schwer, H., J. Karpinski, E. Kaldis, G.I. Meijer, C. Rossel and M. Mali, Evidence for Al doping in the CuO_2 planes of $YBa_2Cu_4O_8$ single crystals, **267**, 113
Scurlock, R.G., see Al-Mosawi, M.K., **267**, 45
Segawa, K., see Minamikawa, T., **267**, 330
Sen, P., see Bandyopadhyay, S.K., **267**, 303
Sha, J., see Yoo, J., **267**, 53
Shekhtman, V.Sh., see Strukova, G.K., **267**, 67
Shevchenko, S.A., see Strukova, G.K., **267**, 67
Shimizu, T., see Minamikawa, T., **267**, 330
Simkin, M.V., On mean-field theory of quantum phase transition in granular superconductors, **267**, 161
Smirnova, I.S., see Strukova, G.K., **267**, 67
Sonntag, R., see Jirák, Z., **267**, 225
Stepanescu, A., see Cattaneo, L., **267**, 127
Storz, O., see Lütgemeier, H., **267**, 191
Strukova, G.K., I.S. Smirnova, A.V. Bazhenov, S.A. Shevchenko, A.I. Kolyubakin, R.A. Dilanian and V.Sh. Shekhtman, A cubic phase in ceramic Y-Ba-Cu-O doped with Nb, **267**, 67
Sulpice, A., see Harneit, W., **267**, 270
Sun, Y.R., see Wolters, Ch., **267**, 164
Suzuki, P.A. and R.F. Jardim, On the diffusion of Ce into Eu_2CuO_{4-y} compounds, **267**, 153
Szymczak, H., see Baran, M., **267**, 313

Takayama-Muromachi, E., see Kawashima, T., **267**, 106
Takei, H., see Hasegawa, M., **267**, 31
Tang, Y.Q., see Chen, K.Y., **267**, 355
Tazoe, M., see Minamikawa, T., **267**, 330
Torikachvili, M.S., see Fischer, G.A., **267**, 293
Trammell, H., see Fischer, G.A., **267**, 293
Tyagi, S.D., see Lofland, S.E., **267**, 79

Van Loef, J.J., see Moolenaar, A.A., **267**, 279
Venkatesan, T., see Lofland, S.E., **267**, 79
Venturini, E.L., see Newcomer, P.P., **267**, 243

Wang, J., see Monot, I., **267**, 173
Wang, L.M., see Newcomer, P.P., **267**, 243
Wei, J.C., J.L. Chen, L. Horng and T.J. Yang, Thickness dependence of magnetic force and vortex creation in type-II superconducting thin film, **267**, 345
Widder, K., D. Berner, J. Münzel, H.P. Geserich, M. Kläser, G. Müller-Vogt and Th. Wolf, Charge carrier distribution in $Y_{1-z}Ca_zBa_2Cu_3O_x$, **267**, 254
Winzer, K., see Krug, K., **267**, 321
Wiśniewski, A., see Baran, M., **267**, 313
Wolf, Th., see Widder, K., **267**, 254
Wolters, Ch., K.M. Amm, Y.R. Sun and J. Schwartz, Synthesis of $(Hg,Re)Ba_2Ca_{n-1}Cu_nO_y$ superconductors, **267**, 164

Xiong, Q., see Chen, K.Y., **267**, 355
Xu, X.L., see Chen, K.Y., **267**, 355

Yang, T.J., see Wei, J.C., **267**, 345
Yang, Y., see Al-Mosawi, M.K., **267**, 45
Yonezawa, Y., see Minamikawa, T., **267**, 330
Yoo, J., H. Chung, J. Ko, H. Kim and J. Sha, Fabrication of superconducting joints between PIT processed Bi-2223/Ag tapes by single and multiple press and reaction annealing, **267**, 53
Yoshida, K., see Sasakura, H., **267**, 19
Yu, F., V.N. Kopylov, M.B. Salamon, N.N. Kolesnikov, M.A. Hubbard, H.M. Duan and A.M. Hermann, Field dependent thermal conductivity of $Tl_2Ba_2CuO_6$: evidence for Andreev scattering of quasiparticles, **267**, 308

ELSEVIER

Physica C 267 (1996) 364–365

PHYSICA C

Subject Index to Volume 267

AC-susceptibility
–of $(Tl_{0.5}Pb_{0.5})(Sr_{2-x}Ba_x)Ca_2Cu_3O_{9-\delta}$ 93
–of $(Tl_{0.6}Pb_{0.2}Bi_{0.2})(Sr_{1.8}Ba_{0.2})Ca_2Cu_3O_{9-\delta}$ 93
–of $Hg_{1-x}V_xSr_{4-y}Ba_yCu_2O_{7-\delta}CO_3$ 1
Ac susceptibility
–of $Y_{0.8}Ca_{0.2}Ba_2Cu_{3-x}C_xO_y$ 225
Ac-resistivity
–of $(Sr,Ca)_{14}Cu_{24}O_{41}$ 147
Ac-susceptibility
–of $(Hg,Re)Ba_2Ca_{n-1}Cu_nO_y$ 164
Andreev reflection
–of $Tl_2Ba_2CuO_6$ crystals 308
Antiferromagnetic order
–in $HoNi_2B_2C$ 321
–in $REBa_2Cu_3O_{6+x}$ 191

Buffer layer
–of $PrBa_2Cu_3O_x$ 330

Charge redistribution 211
Critical current density
–of BPSCCO-2223 tapes 45
–of $LuBa_2Cu_3O_{7-x}$ 74
–of $YBa_2Cu_3O_{7-\delta}$ 173
–of $YBa_2Cu_3O_{7-x}$ thin films 355
Critical current
–of SNS contact 233
Critical state 59
Cu–O chains
–in $Y_{1-z}Ca_zBa_2Cu_3O_x$ 254
Cu–O planes
–in $Y_{1-z}Ca_zBa_2Cu_3O_x$ 254
CuO planes 113

Diffusion of Ce
–in $Eu_{2-x}Ce_xCuO_{4-y}$ 153

Electric field effect
–on SNS contact 233
Electrical resistivity 127
–in $Bi_2Sr_2CaCu_2O_{8\pm\delta}$ 293
–of $(Bi_{2-y}Pb_y)Sr_2(Eu_{2-x}Th_x)Cu_2O_z$ 19
–of $Y_{0.8}Ca_{0.2}Ba_2Cu_{3-x}C_xO_y$ 225
–of $YBa_2Cu_3O_{7-\delta}$–Ag 87
Electronic transport properties
–of $Y_{1-z}Ca_zBa_2Cu_3O_x$ 254

Far infrared spectra
–of $YBa_2Cu_{3-x}(Nb_x)O_y$ 67
Fermi liquid theory 204
Fishtail effect
–in $Ba_{0.6}K_{0.4}BiO_3$ 270
Flexural strength 87
Fluctuation effects 127
Flux pinning
–in $Ba_{0.6}K_{0.4}BiO_3$ 270
–in $YBa_2Cu_3O_7$ thin films 79

Ginzburg–Landau theory 119, 233
Granular superconductivity 161

HRTEM
–of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 337
High-pressure synthesis
–of $Sr_2Ca_{n-1}Cu_nO_y$ 106

Interlayer coupling
–in Bi-2212 single crystal 303
Irradiation effect 79
–of Bi-2212 single crystal 303
–of Tl–Ba–Ca–Cu–O 243

Josephson junction array 59

Local structure change
–in $Tl_2Ba_2Ca_2Cu_3O_{10}$ single crystal 31

Mössbauer spectroscopy
–of $PrBa_2Cu_3O_7$ 279
Magnetic force 345
Magnetic susceptibility
–of $(Bi_{2-y}Pb_y)Sr_2(Eu_{2-x}Th_x)Cu_2O_z$ 19
–of $(Sr,Ca)_{14}Cu_{24}O_{41}$ 147
–of $Sr_2Ca_{n-1}Cu_nO_y$ 106
Magnetization
–of $Ba_{0.6}K_{0.4}BiO_3$ 270
–of $GdBa_{1.5}Sr_{0.5}Cu_3O_{6+x}$ 313
–of $PrBa_2Cu_3O_7$ 279
Magnetoresistance
–of $HoNi_2B_2C$ 321
Mean-field theory 161
Melt casting
–of $Bi_2Sr_2CaCu_2O_{8\pm\delta}$ 293
Melt processing
–of $YBa_2Cu_3O_{7-\delta}$ 173
Microstructural modification
–in Tl–Ba–Ca–Cu–O 243
Microstructure
–of $YBa_2Cu_3O_{7-\delta}$ 173
Microwave absorption
–in $(Sr,Ca)_{14}Cu_{24}O_{41}$ 147
–of $YBa_2Cu_3O_7$ thin films 79
Mott transition 204

NMR
–in $YBa_2Cu_4O_8$ 261
NQR
–in $YBa_2Cu_4O_8$ 261
–of $REBa_2Cu_3O_{6+x}$ 191
–of $YBa_2Cu_4O_8$ single crystals 113
Neutron diffraction
–of $Y_{0.8}Ca_{0.2}Ba_2Cu_{3-x}C_xO_y$ 225
Normal state properties 204

O–T transition
–in $SmBa_{2-x}Sr_xCu_3O_{6+y}$ 211
Optical ceramography 87
Optical reflectivity
–of $Y_{1-z}Ca_zBa_2Cu_3O_x$ 254
Oxygen ordering
–in $GdBa_{1.5}Sr_{0.5}Cu_3O_{6+x}$ 313
Oxygen stoichiometry
–in Bi-2212 single crystal 303
–in $LuBa_2Cu_3O_{7-x}$ 74
–in $Tl_2Ba_2Ca_2Cu_3O_{10}$ single crystal 31
–of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 337
–of $REBa_2Cu_3O_{6+x}$ 191

Percolation theory 127
Phase diagram

–of $(Bi_{2-y}Pb_y)Sr_2(Eu_{2-x}Th_x)Cu_2O_z$ 19
–of $HoNi_2B_2C$ 321
Pressure effect
–on $GdBa_{1.5}Sr_{0.5}Cu_3O_{6+x}$ 313
Pulsed laser ablation
–of $YBa_2Cu_3O_x$ films 330

Quantum phase transition 161

Raman scattering 204
–of $SmBa_{2-x}Sr_xCu_3O_{6+y}$ 211

SEM
–of $(Hg,Re)Ba_2Ca_{n-1}Cu_nO_y$ 164
–of $Bi_2Sr_2CaCu_2O_{8\pm\delta}$ 293
Specific heat 24
Spin-lattice relaxation time T_1
–in $YBa_2Cu_4O_8$ 261
Spin-spin relaxation time T_2
–in $YBa_2Cu_4O_8$ 261
Structure
–of $(Hg,Re)Ba_2Ca_{n-1}Cu_nO_y$ 164
–of $(Tl_{0.5}Pb_{0.5})(Sr_{2-x}Ba_x)$-$Ca_2Cu_3O_{9-\delta}$ 93
–of $(Tl_{0.6}Pb_{0.2}Bi_{0.2})(Sr_{1.8}Ba_{0.2})Ca_2Cu_3O_{9-\delta}$ 93
–of BPSCCO-2223 tapes 45
–of Bi-2223/Ag tapes 53
–of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 337
–of $Eu_{2-x}Ce_xCuO_{4-y}$ 153
–of $Hg_{1-x}V_xSr_{4-y}Ba_yCu_2O_{7-\delta}CO_3$ 1
–of $LuBa_2Cu_3O_{7-x}$ 74
–of $PrBa_2Cu_3O_7$ 279
–of $SmBa_{2-x}Sr_xCu_3O_{6+y}$ 211
–of $Sr_2Ca_{n-1}Cu_nO_y$ 106
–of $Y_{0.8}Ca_{0.2}Ba_2Cu_{3-x}C_xO_y$ 225
–of $YBa_2Cu_{3-x}(Nb_x)O_y$ 67
–of $YBa_2Cu_4O_8$ single crystals 113
Superconducting joints 53
Synthesis
–of $YBa_2Cu_3O_{7-x}$ thin films 355
Synthesis
–of $(Hg,Re)Ba_2Ca_{n-1}Cu_nO_y$ 164
–of BPSCCO-2223 tapes 45
–of $Bi_2Sr_2CaCu_2O_{8\pm\delta}$ 293
–of $Hg_{1-x}V_xSr_{4-y}Ba_yCu_2O_{7-\delta}CO_3$ 1
–of $YBa_2Cu_3O_x$ films 330
–of $YBa_2Cu_3O_{7-\delta}$–Ag 87
–of $YBa_2Cu_{3-x}(Nb_x)O_y$ 67

Thermal conductivity
–of Tl–Ba–Ca–Cu–O 243
–of $Tl_2Ba_2CuO_6$ crystals 308
Thermal expansion
–of $Tl_2Ba_2Ca_2Cu_3O_{10}$ single crystal 31
Thermoelectric power
–of $Y_{0.8}Ca_{0.2}Ba_2Cu_{3-x}C_xO_y$ 225
Thermomechanical process 53
Thin films 79, 345
Two dimensional system 119

Upper critical field H_{c2}
–of $HoNi_2B_2C$ 321

Van Hove singularity 24
Vortex creation 345
Vortex lines 308

X-ray diffraction
–of $(Tl_{0.5}Pb_{0.5})(Sr_{2-x}Ba_x)Ca_2Cu_3O_{9-\delta}$ 93
–of $(Tl_{0.6}Pb_{0.2}Bi_{0.2})(Sr_{1.8}Ba_{0.2})Ca_2Cu_3O_{9-\delta}$ 93
–of Bi,Pb(2223) 10
–of $Eu_{2-x}Ce_xCuO_{4-y}$ 153
–of $Hg_{1-x}V_xSr_{4-y}Ba_yCu_2O_{7-\delta}CO_3$ 1
–of $YBa_2Cu_{3-x}(Nb_x)O_y$ 67
XRD
–of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 337

ELSEVIER

Physica C 267 (1996) 366–367

PHYSICA C

Materials Index to Volume 267

$(Bi_{2-y}Pb_y)Sr_2(Eu_{2-x}Th_x)Cu_2O_z$
–electrical resistivity 19
–magnetic susceptibility 19
–phase diagram 19
BPSCCO-2223 tapes
–critical current density 45
–structure 45
–synthesis 45
$Ba_{0.6}K_{0.4}BiO_3$
–fishtail effect 270
–flux pinning 270
–magnetization 270
Bi,Pb(2223)
–X-ray diffraction 10
Bi-2212 single crystal
–interlayer coupling 303
–irradiation effect 303
–oxygen stoichiometry 303
Bi-2223/Ag tapes
–structure 53
$Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$
–HRTEM 337
–oxygen stoichiometry 337
–structure 337
–XRD 337
$Bi_2Sr_2CaCu_2O_{8\pm\delta}$
–electrical resistivity 293
–melt casting 293
–SEM 293
–synthesis 293

$Eu_{2-x}Ce_xCuO_{4-y}$
–diffusion of Ce 153
–structure 153
–X-ray diffraction 153

$GdBa_{1.5}Sr_{0.5}Cu_3O_{6+x}$
–magnetization 313
–oxygen ordering 313
–pressure effect 313

$(Hg,Re)Ba_2Ca_{n-1}Cu_nO_y$
–AC-susceptibility 164
–SEM 164
–structure 164
–synthesis 164
$Hg_{1-x}V_xSr_{4-y}Ba_yCu_2O_{7-\delta}CO_3$
–AC-susceptibility 1
–structure 1
–synthesis 1
–X-ray diffraction 1
$HoNi_2B_2C$
–antiferromagnetic order 321
–magnetoresistance 321
–phase diagram 321
–upper critical field H_{c2} 321

$LuBa_2Cu_3O_{7-x}$
–critical current density 74
–oxygen stoichiometry 74
–structure 74

$PrBa_2Cu_3O_x$
–buffer layer 330
$PrBa_2Cu_3O_7$
–Mössbauer spectroscopy 279
–magnetization 279
–structure 279

$REBa_2Cu_3O_{6+x}$
–antiferromagnetic order 191
–NQR 191
–oxygen stoichiometry 191

SNS contact
–critical current 233
–electric field effect 233
$SmBa_{2-x}Sr_xCu_3O_{6+y}$
–O–T transition 211
–Raman scattering 211
–structure 211
$(Sr,Ca)_{14}Cu_{24}O_{41}$
–AC-resistivity 147
–magnetic susceptibility 147
–microwave absorption 147
$Sr_2Ca_{n-1}Cu_nO_y$
–high-pressure synthesis 106
–magnetic susceptibility 106
–structure 106

Tl–Ba–Ca–Cu–O
–irradiation effect 243
–microstructural modification 243
–thermal conductivity 243
$Tl_2Ba_2Ca_2Cu_3O_{10}$ single crystal
–local structure change 31
–oxygen stoichiometry 31
–thermal expansion 31
$Tl_2Ba_2CuO_6$ crystals
–Andreev reflection 308
–thermal conductivity 308
$(Tl_{0.5}Pb_{0.5})(Sr_{2-x}Ba_x)Ca_2Cu_3O_{9-\delta}$
–AC-susceptibility 93
–structure 93
–X-ray diffraction 93
$(Tl_{0.6}Pb_{0.2}Bi_{0.2})(Sr_{1.8}Ba_{0.2})Ca_2Cu_3O_{9-\delta}$
–AC-susceptibility 93
–structure 93
–X-ray diffraction 93

$Y_{0.8}Ca_{0.2}Ba_2Cu_{3-x}C_xO_y$
–AC susceptibility 225
–electrical resistivity 225
–neutron diffraction 225
–structure 225
–thermoelectric power 225
$Y_{1-z}Ca_zBa_2Cu_3O_x$
–Cu–O chains 254
–Cu–O planes 254
–electronic transport properties 254
–optical reflectivity 254
$YBa_2Cu_3O_x$ films
–pulsed laser ablation 330
–synthesis 330
$YBa_2Cu_3O_7$ thin films
–flux pinning 79
–microwave absorption 79
$YBa_2Cu_3O_{7-\delta}$–Ag
–electrical resistivity 87
–synthesis 87
$YBa_2Cu_3O_{7-\delta}$
–critical current density 173
–melt processing 173
–microstructure 173
$YBa_2Cu_3O_{7-x}$ thin films

–critical current density 355
–synthesis 355
$YBa_2Cu_{3-x}(Nb_x)O_y$
–far infrared spectra 67
–structure 67
–synthesis 67
–X-ray diffraction 67
$YBa_2Cu_4O_8$ single crystals
–NQR 113
–structure 113
$YBa_2Cu_4O_8$
–NMR 261
–NQR 261
–spin-lattice relaxation time T_1 261
–spin-spin relaxation time T_2 261